


ABRAZIVNA ORODJA

ABRASIVE TOOLS

ABRAZIVNI ALATI

obdelovanje kamna
obrada kamena



C O M E T


SMOLNO VEZANI BRUSI z DIAMANTNIMI zrni

RESIN BONDED GRINDING TOOLS with DIAMOND

OSTRENJE SHARPENING




6A2
D126 BMR C100
D64 BMR C75



GALVANSKO VEZANA BRUSNA ORODJA z DIA zrni

GALVANIC BONDED GRINDING TOOLS with DIAMOND

PROFILIRANJE PROFILING



REZANJE CUTTING-OFF



CNC OBDELAVA CNC GRINDING



REZALKE
SAW BLADES
Ø 40 - 400 mm


"VACUUM BRAZED" BRUSNA ORODJA z DIAMANTNIMI zrni

VACUUM BRAZED GRINDING TOOLS with DIAMOND

PROFILIRANJE PROFILING




IZREZOVANJE CUTTING OUT



DIA HARD BRUSNI DISKI

DIA HARD GRINDING DISCS

POLIRANJE - ročno POLISHING





MAGNEZITNO IN SINTETIČNO VEZANI BRUSI s SiC in korundnimi zrnji

MAGNESITE AND SYNTHETIC BONDED GRINDING TOOLS



Magnezitno in sintetično vezani brusni so namenjeni za obdelavo granita, marmorja, betona, teraca, keramike in umetnega kamna. Skladiščimo jih v suhem prostoru s temperaturo med 5 in 25 °C in relativni vlažnosti med 40 in 60%. Pred uporabo brusov jih dobro pregledajte in poškodovane izločite.

Magnesite and synthetic grinding tools are prepared for grinding, smoothing and polishing granite, marble, concrete and agglomerated products. Magnesite grinding tools must be stored in dry places at temperatures between 5 and 25 °C and relative humidity between 40 and 60 %. Before use always visually inspect grinding tools before mounting for possible damage during transport and eliminate damaged ones.

GRANIT - GRANITE	
Oznaka	Granulacije
00G	16 - 20G
0G	24 - 36G
1G	46 - 60G
2G	80 - 120G
3G	150 - 180G
4G	280 - 400G
5G	500G
6G	600G
7G	800G
8G	1000G
10	EXTRA

MARMOR - MARBLE	
Oznaka	Granulacije
00M	8 - 20M
0M	24 - 36M
1M	46 - 60M
2M	80 - 120M
3M	150 - 180M
4M	280 - 400M
5M	500 M
5	EXTRA



TERZAGO Ø 120 mm

SEGMENT Ø 100/90 mm

SG SEGMENT Ø 100/90 mm

SG SEGMENT Ø 100 mm

SG SEGMENT mala luknja / little hole Ø 150 mm

SG SEGMENT velika luknja / big hole Ø 130, 150 mm



HENKE Ø 650, 790 mm



SEG. ZVEZDA / STAR WHEELS Ø 130 - 150 mm



ZVEZDA / STAR Ø 150 - 190 mm



V PLOŠČA / V PLATE Ø 200, 240, 300 mm



PLOŠČA / PLATE Ø 240, 300, 350 mm

MAGNEZITNO VEZANI BRUS (G - GRANIT ali M - MARMOR)
MAGNESITE BONDED (G - GRANITE or M - MARBLE)

Primer naročila / Order sample **FRANKFURT 30 G ali /or M**

ROK UPORABE / APPLIED TIME
En mesec po izdelavi in najdlje eno leto po datumu izdelave.
One month after production date and maximum one year.

SINTETIČNO VEZAN BRUS oznaka N
SYNTHETIC BONDED signal N

Primer naročila / Order sample **FRANKFURT 30 GN**

ROK UPORABE / APPLIED TIME
neomejen unlimited

Ostale oblike brusov izdelujemo po predhodnem dogovoru.
Other forms can be made to special order.

OPOZORILO / CAUTION

Pri segmentih s spiralno glavo je potrebno navesti smer pritrdjevanja brusov.
On segments with spiral head must description direction to consent off product.

LS
levo / left



DS
desno / right



LONGINOTI Ø 550, 750 mm



LEDVIČNIK / RENIFORM



LEDVIČNIK MALI / RENIFORM LITTLE




FRANKFURT



FRANKFURT VERONA



OPEKA / BRICK 150 x 70 x 45



KONUSNI SEGMENTI L 140




KONUSNI SEGMENTI L 230

KOVINSKO VEZANA BRUSNA ORODJA z DIAMANTNIMI zrni


METAL BONDED GRINDING TOOLS with DIAMOND

BRUŠENJE


GRINDING




BRUSNO ORODJE
STROJNO POLIRANJE ROBOV
Ø 130 -150 mm,
spiralna glava (desna/leva), navoj 3/4



TURBO BRUSNI LONCI
ROČNO BRUŠENJE
Ø 115 mm, H = 22,2 mm, M14




DIA KONUSNI SEGMENTI
GRANULACIJE: 0, 1, 2




DIA FRANKFURT
GRANULACIJE: 0, 1, 2

CNC OBDELAVA

CNC GRINDING



PROFILNI
BRUSI



CNC ORODJA Z NASTAVKOM R1/2"

VRTANJE

CORING



IZREZOVALCI
LUKENJ

SVEDRI
Ø 8, 10, 15, 17 mm

OBROČI KRONE
Ø 16, 18, 21, 24, 25,
27, 28, 29, 31, 33, 35 mm


OBROČI
KOPIRKA
Ø 20,5 mm

REZANJE

CUTTING-OFF

REZALKE C1, C2
BREŽŠUMNE ALI NAVADNE,
ZA GRANIT, MARMOR
Ø 250 - 2000 mm

REZALKE C4P
BREŽŠUMNE ZA GRANIT
Ø 350 - 800 mm



SEGMENTI
OBNOVA REZALK VEČJIH PREMEROV

LAME
L = 2550, 3200, 3550, ... mm

FREZE
T = 5 -10 mm



PERLE



DIAMANTNE ŽICE
KONČNE, NESKONČNE
L = 5.2, 5.7, 18, 20 m
Ø = 8.8, 10.5, 11 mm

REZALKE z DIA zrni - SUHI ALI MOKRI REZ
Ø 115 - 230 mm

SMOLNO VEZANI BRUSI s SiC in korundnimi zrni

RESIN BONDED GRINDING WHEELS with SiC and Al oxide




Rezalke / Cutting-off wheels
Ø 115 mm, Ø 178 mm, Ø 230 mm

Lamelni brusni diski
Flap discs Ø 115 mm

Brusni lonci / Grinding Cup
Ø 76 mm in Ø 110 mm

KERAMIČNO VEZANI BRUSI s SiC in korundnimi zrni

VITRIFIED BONDED GRINDING TOOLS with SiC and Al oxide



Brusna plošča F1
150x20x20 mm
10C60JVL

SEGMENT B
120x30x200 mm
10C120

PPR 50x25x200 mm
10 C16

ABRAZIVNA ZRNA in LEPILO

ABRASIVE GRIT and ADHESIVE



Poliestersko lepilo - kit
(belo ali prozorno)
in trdilec /
Polyester adhesive
(white or transparent)
and hardener

SiC
črni / black

SiC
zeleni / green

Korund rjavi /
Al-oxide brown

Korund roza /
Al-oxide pink

Korund beli /
Al-oxide white

L E T T H E S P A R K S F L Y
N A J S E I S K R I

SMOLNO VEZANI BRUSI S SiC IN KORUNDNIMI ZRN
RESIN BONDED WHEELS WITH SiC AND AL-OXIDE



KERAMIČNO VEZANI BRUSI S SiC IN KORUNDNIMI ZRN
VITRIFIED BONDED GRINDING TOOLS WITH SiC AND AL OXIDE

FLEKSIBILNI BRUSI
IZ BRUSNEGA PAPIRJA IN PLATNA
FLEXIBLE ABRASIVES



SMOLNO VEZANI BRUSI S CBN IN
RESIN BONDED GRINDING TOOLS WITH CBN AND DIAMOND



KOVINSKO VEZANI BRUSI Z DIAMANTNIMI ZRN
METAL BONDED DIAMOND TOOLS

KERAMIČNO VEZANI BRUSI S CBN IN
VITRIFIED BONDED GRINDING TOOLS WITH CBN AND DIAMOND



MAGNEZITNO IN SINTETIČNO
VEZANI BRUSI S SiC IN KORUNDNIMI ZRN
MAGNESITE AND SYNTHETIC BONDED GRINDING TOOLS WITH SiC AND AL OXIDE



POSNEMALNA ORODJA
Z DIAMANTNIMI ZRN
DIAMOND DRESSING TOOLS

TEHNIČNE TKANINE
INDUSTRIAL CLOTHS

OGNJEVZDRŽNI MATERIALI
REFRACTORY PRODUCTS



COMET
Umetni brusi in nekovine, d.d.
Tovarniška 5, 3214 Zreče, Slovenija

E-mail: comet@comet.si
Tel.: +386 (0)3 7575 000
Fax: +386 (0)3 7575 100

<http://www.comet.si>

www.comet.si



Ag3 design